

# DANGER / PELIGRO



**POISON**



**Area/structure and/or commodity under fumigation, DO NOT ENTER/NO ENTREE.**

- THIS
- AREA
  - BIN
  - RAILCAR
  - STRUCTURE
  - SHIP HOLD

# UNDER FUMIGATION WITH PHOSPHINE

(Hydrogen Phosphide)

This sign may only be removed by a certified applicator or a person with documented training after the commodity is completely aerated (contains 0.3 ppm or less of phosphine gas). If incompletely aerated commodity is transferred to a new structure, the new structure must also be placarded if it contains more than 0.3 ppm. Worker exposure during this transfer must not exceed allowable limits.

NAME OF CERTIFIED APPLICATOR \_\_\_\_\_ ADDRESS \_\_\_\_\_

PHONE \_\_\_\_\_ 24-HOUR EMERGENCY RESPONSE TELEPHONE NO. \_\_\_\_\_ PRODUCT NAME/ EPA REG. NO. \_\_\_\_\_

FUMIGATED	A.M.	DATE	DO NOT OPEN BEFORE	A.M.	DATE	AMOUNT PRODUCT USED
_____	P.M.	_____	_____	P.M.	_____	_____

**UNITED PHOSPHORUS, INC.**  
 630 Freedom Business Center, Suite 402 • King of Prussia, PA 19406  
 TEL: 1-800-438-6071